

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

U.S. DEPARTMENT OF AGRICULTURE
Animal and Plant Health Inspection Service - Cotton Program
Memphis, Tennessee

UNITED STATES

Cotton Quality Report



Classings Through December 4, 2008

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through December 4, 2008

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	-	-	21	210	700	2,798	10,485	30,177	44,391
	3	-	4	38	435	1,580	5,631	18,807	45,518	72,013
	4	-	-	2	47	135	485	1,529	4,435	6,633
	5	-	-	-	1	1	9	45	144	200
	6	-	-	-	-	-	-	-	3	3
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	4	61	693	2,416	8,923	30,866	80,277	123,240
31	1-2	-	3	19	425	1,470	3,817	9,252	15,624	30,610
	3	-	7	87	1,227	6,824	35,836	133,441	309,388	486,810
	4	-	3	37	323	1,895	8,516	34,598	111,502	156,874
	5	-	-	4	20	206	918	2,427	7,934	11,509
	6	-	-	-	1	13	41	134	547	736
	7	-	-	-	-	-	-	4	25	29
TOTAL----		-	13	147	1,996	10,408	49,128	179,856	445,020	686,568
41	1-2	-	-	3	145	691	1,472	2,574	3,133	8,018
	3	-	2	52	716	6,801	41,022	156,194	339,359	544,146
	4	-	2	42	467	3,706	20,942	94,601	283,828	403,588
	5	-	-	5	135	904	3,725	11,959	41,810	58,538
	6	-	-	-	17	156	675	1,937	6,390	9,175
	7	-	-	-	-	22	80	206	667	975
TOTAL----		-	4	102	1,480	12,280	67,916	267,471	675,187	1,024,440
51	1-2	-	-	-	6	50	164	178	162	560
	3	-	-	-	83	1,430	6,423	15,468	20,331	43,735
	4	-	-	-	67	1,146	6,487	18,498	30,504	56,702
	5	-	-	-	15	201	1,267	3,425	7,294	12,202
	6	-	-	-	5	33	291	768	1,920	3,017
	7	-	-	1	-	15	62	225	316	619
TOTAL----		-	-	1	176	2,875	14,694	38,562	60,527	116,835
61	1-2	-	-	-	-	-	1	1	-	2
	3	-	-	2	8	44	33	24	61	172
	4	-	-	-	2	24	30	70	95	221
	5	-	-	-	-	1	9	45	99	154
	6	-	-	-	-	-	1	20	30	51
	7	-	-	-	-	-	-	-	4	4
TOTAL----		-	-	2	10	69	74	160	289	604
71	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	1	15	114	436	805	1,689	3,060
	3	-	-	5	96	484	1,010	1,358	3,176	6,129
	4	-	-	-	42	162	314	338	703	1,559
	5	-	-	-	3	10	26	40	66	145
	6	-	-	-	-	-	-	-	1	1
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	6	156	770	1,786	2,541	5,635	10,894
32	1-2	-	-	2	12	77	181	315	279	866
	3	-	12	56	249	942	2,312	4,235	5,374	13,180
	4	-	4	85	344	911	2,365	4,194	6,041	13,944
	5	-	1	8	78	274	711	905	1,337	3,314
	6	-	-	-	9	25	50	62	108	254
	7	-	-	-	-	-	2	14	19	35
TOTAL----		-	17	151	692	2,229	5,621	9,725	13,158	31,593
42	1-2	-	-	7	31	54	147	237	225	701
	3	-	1	28	139	686	2,484	5,720	8,415	17,473
	4	-	1	4	207	991	3,451	9,593	18,491	32,738
	5	-	-	2	142	712	2,045	3,751	6,149	12,801
	6	-	1	-	31	162	465	770	959	2,388
	7	-	-	2	15	63	117	186	156	539
TOTAL----		-	3	43	565	2,668	8,709	20,257	34,395	66,640
52	1-2	-	-	-	-	17	64	66	71	218
	3	-	-	-	6	238	1,236	2,522	3,431	7,433
	4	-	-	8	52	316	2,553	6,892	10,364	20,185
	5	-	2	6	43	165	1,228	3,005	4,713	9,162
	6	-	-	-	20	46	371	677	700	1,814
	7	-	-	-	16	30	149	270	320	785
TOTAL----		-	2	14	137	812	5,601	13,432	19,599	39,597

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through December 4, 2008

QUALITY	LEAF	STAPLE								
COLOR		26 & -	28	29	30	31	32	33	34	34 & -
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	2	29	55	54	98	238
	4	-	-	-	1	52	232	517	458	1,260
	5	-	-	-	3	18	195	543	340	1,099
	6	-	-	-	1	9	85	196	98	389
	7	-	-	-	-	-	8	41	28	77
TOTAL----		-	-	-	7	108	575	1,351	1,022	3,063
13 & 23	1-2	-	-	-	1	1	13	46	289	350
	3	-	-	3	8	43	67	96	489	706
	4	-	-	-	1	20	21	21	103	166
	5	-	-	-	-	-	1	-	8	9
	6	-	-	-	-	-	-	-	1	1
	7	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	3	10	64	102	163	890	1,232
33	1-2	-	-	-	-	2	9	24	52	87
	3	-	2	9	15	24	110	248	484	892
	4	-	5	24	38	115	164	249	405	1,000
	5	-	-	4	20	57	88	62	130	361
	6	-	4	1	3	15	16	7	18	64
	7	-	-	-	-	1	2	1	-	4
TOTAL----		-	11	38	76	214	389	591	1,089	2,408
43	1-2	-	-	-	-	1	5	10	4	20
	3	-	1	3	3	23	107	270	367	774
	4	-	2	10	14	35	157	522	979	1,719
	5	-	1	1	5	29	206	340	323	905
	6	-	2	2	4	20	62	92	98	280
	7	-	-	1	-	4	18	30	38	91
TOTAL----		-	6	17	26	112	555	1,264	1,809	3,789
53	1-2	-	-	-	-	1	4	1	-	6
	3	-	-	2	2	6	85	161	217	473
	4	-	1	4	5	28	171	469	612	1,290
	5	-	-	2	5	19	83	313	267	689
	6	-	-	-	3	26	38	107	63	237
	7	-	-	-	1	14	12	23	32	82
TOTAL----		-	1	8	16	94	393	1,074	1,191	2,777
63	1-2	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	1	3	10	12	26
	4	-	-	-	-	5	66	292	229	592
	5	-	-	-	1	2	32	218	164	417
	6	-	-	-	-	10	15	68	42	135
	7	-	-	-	1	1	3	29	21	55
TOTAL----		-	-	-	2	19	119	617	468	1,225
24-54	1-7	-	-	14	7	8	49	72	117	267
25-35	1-7	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	1	2	7	11	25	46
All Colors	8 2/	-	-	-	7	15	138	410	467	1,037
TOTAL, ALL----		-	61	607	6,057	35,163	164,779	568,423	1,341,165	2,116,255

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through December 4, 2008

QUALITY	LEAF	STAPLE							TOTAL
COLOR		35	36	37	38	39	40 &+	35 to 40+	
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	73,056	104,773	126,997	50,327	21,012	9,887	386,052	430,443
	3	87,083	144,189	247,086	116,098	31,040	5,543	631,039	703,052
	4	10,017	15,712	27,491	17,466	5,261	365	76,312	82,945
	5	443	836	1,101	612	182	5	3,179	3,379
	6	4	15	31	20	7	1	78	81
	7	-	-	2	1	-	-	3	3
TOTAL----		170,603	265,525	402,708	184,524	57,502	15,801	1,096,663	1,219,903
31	1-2	22,199	25,332	31,573	16,587	17,077	18,251	131,019	161,629
	3	412,976	402,027	314,531	95,204	26,771	17,317	1,268,826	1,755,636
	4	228,262	329,259	300,931	80,288	19,092	2,076	959,908	1,116,782
	5	21,969	39,575	47,006	15,993	3,896	326	128,765	140,274
	6	1,413	2,349	2,589	978	322	23	7,674	8,410
	7	47	124	148	39	13	-	371	400
TOTAL----		686,866	798,666	696,778	209,089	67,171	37,993	2,496,563	3,183,131
41	1-2	2,311	1,198	1,141	130	22	18	4,820	12,838
	3	332,090	200,764	80,963	10,137	1,349	325	625,628	1,169,774
	4	497,743	564,893	343,647	39,581	4,971	565	1,451,400	1,854,988
	5	102,393	189,881	177,132	28,155	3,843	313	501,717	560,255
	6	16,551	29,012	31,471	6,433	1,083	87	84,637	93,812
	7	1,672	2,377	2,778	695	178	28	7,728	8,703
TOTAL----		952,760	988,125	637,132	85,131	11,446	1,336	2,675,930	3,700,370
51	1-2	126	52	9	1	-	-	188	748
	3	12,613	5,062	1,679	176	26	-	19,556	63,291
	4	30,467	18,064	8,479	1,138	5	135	58,288	114,990
	5	11,862	11,891	8,392	1,749	345	49	34,288	46,490
	6	3,012	3,942	3,804	636	148	14	11,556	14,573
	7	477	921	1,053	185	39	8	2,683	3,302
TOTAL----		58,557	39,932	23,416	3,885	740	86	126,616	243,451
61	1-2	-	-	-	-	-	-	-	2
	3	46	74	30	-	-	-	150	322
	4	91	100	62	3	-	-	256	477
	5	112	55	47	18	5	-	237	391
	6	74	21	7	4	-	-	106	157
	7	14	9	3	-	-	-	26	30
TOTAL----		337	259	149	25	5	-	775	1,379
71	1-2	-	-	-	-	-	-	-	-
	3	-	2	1	-	-	-	3	3
	4	1	4	1	-	-	-	6	6
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
TOTAL----		1	6	2	-	-	-	9	9
12 & 22	1-2	3,639	4,811	4,101	916	145	28	13,640	16,700
	3	8,824	14,291	20,355	7,948	1,688	107	53,213	59,342
	4	2,089	3,885	4,544	1,852	615	41	13,026	14,585
	5	205	400	315	121	38	1	1,080	1,225
	6	7	30	16	6	2	-	61	62
	7	1	1	2	-	-	-	4	4
TOTAL----		14,765	23,418	29,333	10,843	2,488	177	81,024	91,918
32	1-2	312	306	272	63	41	19	1,013	1,879
	3	6,533	6,623	7,756	3,021	622	101	24,656	37,836
	4	8,268	8,806	8,656	3,944	1,039	146	30,859	44,803
	5	2,000	2,574	2,564	1,337	540	45	9,060	12,374
	6	220	376	395	203	71	6	1,271	1,525
	7	26	46	26	12	4	-	114	149
TOTAL----		17,359	18,731	19,669	8,580	2,317	317	66,973	98,566
42	1-2	115	26	9	3	6	-	159	860
	3	6,567	2,853	853	67	32	22	10,394	27,867
	4	18,437	11,549	4,660	365	93	157	35,261	67,999
	5	7,051	6,496	4,408	528	91	28	18,602	31,403
	6	1,098	1,388	1,150	144	32	4	3,816	6,204
	7	217	366	260	22	1	-	866	1,405
TOTAL----		33,485	22,678	11,340	1,129	255	211	69,098	135,738
52	1-2	16	6	-	-	-	-	22	240
	3	1,612	756	201	16	-	-	2,585	10,018
	4	7,449	3,285	1,228	55	2	-	12,019	32,204
	5	3,853	2,342	1,159	116	9	1	7,480	16,642
	6	638	438	183	17	1	-	1,277	3,091
	7	173	132	77	-	-	-	382	1,167
TOTAL----		13,741	6,959	2,848	204	12	1	23,765	63,362

Table 1. -- United States: Distribution of color, leaf and staple for upland cotton classed through December 4, 2008

QUALITY	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	1	1	1	-	-	-	3	3
	3	121	205	61	-	-	-	387	625
	4	267	176	64	1	-	-	508	1,768
	5	155	80	75	4	-	-	314	1,413
	6	56	43	4	1	-	-	104	493
	7	21	8	-	-	-	-	29	106
TOTAL----		621	513	205	6	-	-	1,345	4,408
13 & 23	1-2	746	653	573	110	4	1	2,087	2,437
	3	1,373	2,159	2,694	751	118	2	7,097	7,803
	4	467	717	736	139	45	1	2,105	2,271
	5	43	72	63	10	-	-	188	197
	6	4	6	4	-	-	-	14	15
	7	-	-	-	-	-	-	-	-
TOTAL----		2,633	3,607	4,070	1,010	167	4	11,491	12,723
33	1-2	117	189	241	45	1	2	595	682
	3	1,020	1,794	3,382	964	134	2	7,296	8,188
	4	855	1,100	1,662	535	186	17	4,355	5,355
	5	229	264	335	144	46	9	1,027	1,388
	6	23	34	38	15	8	1	119	183
	7	1	-	1	-	-	-	2	6
TOTAL----		2,245	3,381	5,659	1,703	375	31	13,394	15,802
43	1-2	9	6	1	-	-	-	16	36
	3	327	277	134	14	4	1	757	1,531
	4	716	602	413	58	37	23	1,849	3,568
	5	288	258	217	65	19	7	854	1,759
	6	67	101	84	22	12	-	286	566
	7	24	20	9	11	6	1	71	162
TOTAL----		1,431	1,264	858	170	78	32	3,833	7,622
53	1-2	4	5	-	-	-	-	9	15
	3	200	193	80	5	-	-	478	951
	4	541	430	127	3	1	-	1,102	2,392
	5	340	228	61	2	-	-	631	1,320
	6	58	61	29	-	-	-	148	385
	7	31	61	42	-	-	-	134	216
TOTAL----		1,174	978	339	10	1	-	2,502	5,279
63	1-2	-	1	1	-	-	-	2	2
	3	24	79	10	-	-	-	113	139
	4	57	23	3	-	-	-	83	675
	5	48	21	6	3	-	-	78	495
	6	18	21	3	-	-	-	42	177
	7	4	-	-	-	-	-	4	59
TOTAL----		151	145	23	3	-	-	322	1,547
24-54	1-7	286	258	158	80	10	18	810	1,077
25-35	1-7	-	-	-	-	-	-	-	-
81-85 1/	1-7	71	82	18	14	7	3	195	241
All Colors	8 2/	343	584	594	91	36	8	1,656	2,693
TOTAL, ALL-----		1,957,429	2,175,111	1,835,299	506,497	142,610	56,018	6,672,964	8,789,219
EXTRANEEOUS MATTER		Average Staple -----							35.6
Bark - Level 1		Percent Tenderable -----							69.0
Bark - Level 2									
Grass - Level 1									
Grass - Level 2									
Prep - Level 1									
Prep - Level 2									
Other - Level 1									
Other - Level 2									

8,789,219 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	*	0.1	0.3	0.8	1.2	1.4	0.6	0.2	0.1	4.9
	3	-	*	*	*	*	0.1	0.2	0.5	1.0	1.6	2.8	1.3	0.4	0.1	8.0
	4	-	-	*	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	0.9
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	*	*	*	*	0.1	0.4	0.9	1.9	3.0	4.6	2.1	0.7	0.2	13.9
31	1-2	-	*	*	*	*	*	0.1	0.2	0.3	0.3	0.4	0.2	0.2	0.2	1.8
	3	-	*	*	*	0.1	0.4	1.5	3.5	4.7	4.6	3.6	1.1	0.3	0.2	20.0
	4	-	*	*	*	*	0.1	0.4	1.3	2.6	3.7	3.4	0.9	0.2	*	12.7
	5	-	-	*	*	*	*	*	0.1	0.2	0.5	0.5	0.2	*	*	1.6
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	*	*	0.1	0.6	2.0	5.1	7.8	9.1	7.9	2.4	0.8	0.4	36.2
41	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	0.1	0.5	1.8	3.9	3.8	2.3	0.9	0.1	*	*	13.3
	4	-	*	*	*	*	0.2	1.1	3.2	5.7	6.4	3.9	0.5	0.1	*	21.1
	5	-	-	*	*	*	*	0.1	0.5	1.2	2.2	2.0	0.3	*	*	6.4
	6	-	-	-	*	*	*	*	0.1	0.2	0.3	0.4	0.1	*	*	1.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
TOTAL----		-	*	*	*	0.1	0.8	3.0	7.7	10.8	11.2	7.2	1.0	0.1	*	42.1
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	-	0.7
	4	-	-	-	*	*	0.1	0.2	0.3	0.3	0.2	0.1	*	*	*	1.3
	5	-	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*
TOTAL----		-	-	*	*	*	0.2	0.4	0.7	0.7	0.5	0.3	*	*	*	2.8
61	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
12 & 22	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	-	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.7
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	*	*	*	*	*	0.1	0.2	0.3	0.3	0.1	*	*	1.0
32	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	4	-	*	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	0.5
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	*	*	*	0.1	0.1	0.1	0.2	0.2	0.2	0.1	*	*	1.1
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	4	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.8
	5	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	0.4
	6	-	*	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	*	*	*	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	*	1.5
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.7

* Less than 0.05 percent.

Table 2. -- United States: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY		LEAF	STAPLE														
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	-	-	-	-	*	-	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	-	*	-	*	-	-	-	*	
TOTAL----		-	*	*	*	*	*	*	*	*	*	0.1	*	*	*	0.2	
43	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*	
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
53	1-2	-	-	-	-	*	*	*	-	*	*	-	-	-	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1	
63	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*	
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*	
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
All Colors	8 2/	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*	
TOTAL, ALL-----		-	*	*	0.1	0.4	1.9	6.5	15.3	22.3	24.7	20.9	5.8	1.6	0.6	100.0	
EXTRANEEOUS MATTER																Average Staple	35.6
																Percent Tenderable	69.0
Bark - Level 1		9.7															
Bark - Level 2		*															
Grass - Level 1		0.5															
Grass - Level 2		*															
Prep - Level 1		0.2															
Prep - Level 2		*															
Other - Level 1		*															
Other - Level 1		*															

8,789,219 bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY		LEAF	STAPLE													
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	"	0.1	0.1	*	*	"	-	-	-	0.3
	3	-	-	-	*	*	0.3	0.8	1.1	0.5	0.1	*	"	"	-	3.0
	4	-	-	-	-	*	"	0.1	0.1	0.1	"	*	*	-	-	0.4
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	"	"	0.1	0.3	1.0	1.3	0.7	0.2	*	*	*	-	3.7
31	1-2	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	-	-	0.5
	3	-	-	*	*	0.3	1.9	7.0	11.8	7.3	2.3	0.7	*	*	-	31.4
	4	-	-	-	*	0.1	0.5	2.0	4.7	4.9	2.4	0.8	0.1	*	-	15.5
	5	-	-	-	*	*	*	0.1	0.2	0.4	0.2	0.1	*	*	-	1.0
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	0.4	2.5	9.3	16.9	12.8	5.0	1.6	0.1	*	-	48.6
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	0.2	1.3	4.8	6.4	3.4	0.9	0.2	*	*	*	17.2
	4	-	-	-	*	0.1	0.8	3.3	6.1	5.8	2.5	0.9	0.2	*	-	19.6
	5	-	-	-	*	*	0.1	0.4	1.3	1.8	1.1	0.4	0.1	*	*	5.3
	6	-	-	-	*	*	*	0.1	0.2	0.3	0.3	0.1	*	-	-	1.1
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	*	*	0.3	2.3	8.7	14.0	11.3	4.7	1.6	0.3	*	*	43.3
51	1-2	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	-	0.4
	4	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	*	-	*	0.9
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	*	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	*	*	0.2	0.4	0.6	0.4	0.1	0.1	*	*	*	1.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	*	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.2
	4	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	TOTAL----	-	-	*	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	-	0.7
42	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	-	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	0.2	0.4	0.2	0.1	*	*	-	-	0.9
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	0.4
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	0.1	0.3	0.6	0.4	0.2	*	*	*	-	1.5
52	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1

* Less than 0.05 percent.

Table 3. -- Alabama: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	-	-	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
TOTAL, ALL-----		-	-	*	0.1	0.8	5.4	19.8	33.8	25.9	10.2	3.4	0.4	*	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.3
		Percent Tenderable														69.3
Bark - Level 1	1.7															
Bark - Level 2	-															
Grass - Level 1	0.5															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

375,189 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.4	3.0	12.9	16.0	13.4	4.6	1.5	0.1	52.0
	3	-	-	-	-	-	-	*	0.6	3.4	5.3	5.6	2.3	0.7	0.2	18.1
	4	-	-	-	-	-	-	*	*	0.2	0.3	0.3	0.1	*	*	1.0
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.5	3.7	16.5	21.7	19.3	6.9	2.2	0.3	71.1
31	1-2	-	-	-	-	-	*	*	0.4	1.4	2.4	3.7	1.8	0.5	*	10.3
	3	-	-	-	-	-	-	0.1	0.5	1.4	2.5	3.6	1.6	0.6	0.1	10.5
	4	-	-	-	-	-	-	*	0.1	0.5	0.5	0.5	0.1	0.1	*	1.9
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.2	1.0	3.4	5.5	7.9	3.5	1.2	0.1	22.9
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	-	0.1	0.1	0.1	0.1	0.1	*	*	*	0.5
	4	-	-	-	-	-	-	*	0.1	0.1	0.1	0.1	*	*	*	0.4
	5	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	*	-	*
	TOTAL----	-	-	-	-	-	-	0.2	0.3	0.2	0.2	0.2	*	*	*	1.2
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	*	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	*	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.4
	3	-	-	-	-	-	-	*	0.1	0.6	0.6	0.2	*	*	*	1.6
	4	-	-	-	-	-	-	*	*	0.2	0.3	0.1	*	*	-	0.6
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.2	0.9	1.1	0.4	0.1	*	*	2.6
32	1-2	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	0.3
	4	-	-	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	0.6
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	0.1	0.4	0.4	0.2	*	*	-	1.2
42	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	0.1	0.2	0.1	*	*	*	*	0.6
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*

* Less than 0.05 percent.

Table 4. -- Arizona: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	-	-	0.1
33	1-2	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.2
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	*	-	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	*	*
TOTAL, ALL-----		-	-	-	-	-	*	0.9	5.5	21.7	29.2	28.1	10.6	3.5	0.5	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.7															
Bark - Level 2	-															
Grass - Level 1	0.2															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	0.6															
Other - Level 1	-															

181,253 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.2	0.4	0.2	*	*	-	0.8
	4	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	0.2	0.5	0.2	*	*	-	1.0
31	1-2	-	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	0.2
	3	-	-	-	-	*	*	0.1	0.8	3.8	7.7	3.8	0.3	*	*	16.6
	4	-	-	-	-	*	*	*	0.3	2.5	7.9	6.5	0.6	*	*	17.9
	5	-	-	-	-	-	*	*	*	0.2	0.7	0.8	0.2	*	*	1.8
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	1.2	6.6	16.3	11.3	1.0	0.1	*	36.6
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	0.1	0.7	2.9	5.5	2.4	0.2	*	*	11.9
	4	-	-	-	-	*	*	0.1	0.8	6.1	16.6	10.6	0.9	0.1	*	35.3
	5	-	-	-	-	*	*	*	0.1	1.0	4.9	4.6	0.4	*	*	11.0
	6	-	-	-	-	-	*	*	*	0.1	0.5	0.7	0.1	*	*	1.4
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	TOTAL----	-	-	-	-	*	*	0.2	1.6	10.0	27.5	18.4	1.6	0.1	*	59.6
51	1-2	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	0.4
	5	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	0.4
	6	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	*	*	0.1	0.3	0.4	0.3	*	*	*	1.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	0.4
42	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.2
	4	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	1.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1

* Less than 0.05 percent.

Table 5. -- Arkansas: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	-	-	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL, ALL-----		-	-	-	-	*	*	0.4	3.1	17.5	45.3	30.6	2.7	0.2	*	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		0.1														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		0.2														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		*														

1,214,160 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.2	1.0	3.2	6.7	11.3	8.6	6.4	4.1	41.4
	3	-	-	-	-	-	-	*	0.1	0.6	1.7	2.9	2.2	2.5	1.8	11.8
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.2	1.1	3.8	8.4	14.2	10.8	9.0	5.9	53.3
31	1-2	-	-	-	-	-	*	*	0.1	0.4	1.2	4.0	4.2	6.7	7.8	24.4
	3	-	-	-	-	-	-	*	0.1	0.4	1.3	3.2	2.6	3.8	7.0	18.5
	4	-	-	-	-	-	-	-	*	*	0.1	0.2	0.1	0.3	0.4	1.3
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	0.2	0.8	2.7	7.5	6.9	10.9	15.2	44.2
41	1-2	-	-	-	-	-	-	*	*	*	*	0.2	*	*	*	0.3
	3	-	-	-	-	-	-	*	*	*	0.1	0.2	0.1	0.1	0.1	0.7
	4	-	-	-	-	-	-	-	*	*	*	0.2	0.1	0.1	0.1	0.6
	5	-	-	-	-	-	-	-	-	-	0.1	0.1	*	*	*	0.2
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	*	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	0.1	0.8	0.4	0.2	0.3	1.9
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	-	*	*	-	*	*	*	*
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	-	-	*	*	*	-	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
32	1-2	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	-	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	0.1	0.1	0.2
42	1-2	-	-	-	-	-	-	-	-	*	*	-	*	*	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	0.1	0.1
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	*	*	0.1	0.2
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	*	-	*	*	*	*

* Less than 0.05 percent.

Table 6. -- California: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY		LEAF	STAPLE														TOTAL
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
33	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	*		
	3	-	-	-	-	-	-	-	-	-	-	-	*	*	*		
	4	-	-	-	-	-	-	-	-	-	-	-	*	*	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	*	*	*		
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	*		
	4	-	-	-	-	-	-	-	-	-	-	*	*	*	*		
	5	-	-	-	-	-	-	-	-	-	-	-	*	*	*		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	*	*	*	*		
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7	-	-	-	-	-	-	-	-	-	-	*	*	*	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	*	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL-----		-	-	-	-	-	*	0.2	1.3	4.7	11.2	22.5	18.2	20.2	21.6	100.0	
EXTRANEEOUS MATTER																Average Staple	38.0
																Percent Tenderable	96.0
Bark - Level 1		*															
Bark - Level 2		-															
Grass - Level 1		0.1															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		*															

234,040 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	0.2	0.5	0.5	0.1	*	*	-	*	1.4
	4	-	-	-	-	-	*	*	*	0.1	*	*	*	*	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.2	0.5	0.6	0.2	*	*	*	*	1.6
31	1-2	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	*	0.1	1.8	9.6	13.9	4.1	0.7	0.1	*	*	30.3
	4	-	-	-	-	-	*	0.2	1.6	4.2	2.7	0.8	0.3	0.1	*	10.1
	5	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.3
	6	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.2	2.0	11.4	18.2	6.9	1.6	0.5	0.2	*	41.0
41	1-2	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	3	-	-	-	-	*	0.2	2.3	9.2	9.8	2.5	0.7	0.1	*	-	24.7
	4	-	-	-	-	*	0.1	1.0	6.3	11.0	5.7	2.0	0.4	*	*	26.6
	5	-	-	-	-	-	*	*	0.2	0.7	1.1	0.7	0.2	*	-	3.0
	6	-	-	-	-	-	-	*	*	0.2	0.5	0.3	*	*	-	1.0
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	0.3	3.4	15.7	21.7	9.8	3.7	0.7	0.1	*	55.4
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.5
	4	-	-	-	-	-	*	0.1	0.3	0.3	0.1	0.1	*	-	-	0.8
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	-	-	0.3
	6	-	-	-	-	-	-	*	*	0.1	0.1	*	-	-	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.2	0.4	0.6	0.4	0.2	*	*	-	1.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	4	-	-	-	-	*	*	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	-	*	*	*	*	-	-	-	*

* Less than 0.05 percent.

Table 7. -- Florida: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	-	*	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	-	*	0.5	5.8	28.1	41.2	17.4	5.5	1.2	0.3	*	100.0
EXTRANEEOUS MATTER		Average Staple														
		Percent Tenderable														
Bark - Level 1	1.2															
Bark - Level 2	-															
Grass - Level 1	0.2															
Grass - Level 2	-															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

93,692 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. -- Georgia: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	*	*	0.6
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.2	*	*	*	-	-	0.7
31	1-2	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	*	-	-	0.7
	3	-	-	-	*	0.1	0.9	3.4	7.4	6.1	1.7	0.2	*	*	*	19.7
	4	-	-	-	*	*	*	0.2	0.8	1.5	0.8	0.2	*	*	*	3.6
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	0.1	1.0	3.9	8.4	7.7	2.6	0.4	*	*	*	24.1
41	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	*	*	0.2	1.5	6.8	16.4	12.5	2.8	0.3	*	*	*	40.5
	4	-	-	-	*	*	0.4	2.4	8.3	10.6	4.3	0.9	0.1	*	*	27.1
	5	-	-	-	-	*	*	*	0.2	0.3	0.3	0.2	*	*	*	1.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	*	-	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	0.2	2.0	9.3	25.0	23.4	7.5	1.5	0.2	*	*	69.0
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	0.2	0.6	0.8	0.4	0.1	*	*	-	-	2.1
	4	-	-	-	*	*	0.1	0.5	0.9	0.8	0.3	0.1	*	-	-	2.7
	5	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	-	*	*	0.3	1.1	1.8	1.3	0.6	0.2	*	*	*	5.4
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
42	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
	4	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.5
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2

* Less than 0.05 percent.

Table 8. — Georgia: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY		LEAF	STAPLE													
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
TOTAL, ALL-----		-	-	*	*	0.4	3.3	14.5	35.8	32.8	10.7	2.1	0.2	*	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.4
		Percent Tenderable														85.1
Bark - Level 1		0.5														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

1,095,979 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	0.2	0.8	0.8	0.8	*	-	-	-	2.6
	3	-	-	-	-	-	-	*	0.6	1.7	4.8	1.8	*	-	-	9.0
	4	-	-	-	-	-	-	-	-	0.6	2.3	1.3	-	-	-	4.1
	5	-	-	-	-	-	-	-	-	-	0.5	0.1	-	-	-	0.6
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	0.2	1.4	3.1	8.3	3.2	*	-	-	16.3
31	1-2	-	-	-	-	-	-	*	0.4	0.7	0.5	*	-	-	-	1.7
	3	-	-	-	-	-	-	0.1	0.7	5.7	8.9	3.7	0.1	-	-	19.2
	4	-	-	-	-	-	-	-	0.8	5.6	7.7	6.1	0.2	-	-	20.5
	5	-	-	-	-	-	-	-	1.2	1.9	4.6	2.7	0.1	-	-	10.4
	6	-	-	-	-	-	-	-	1.5	1.6	1.0	0.3	-	-	-	4.5
	7	-	-	-	-	-	-	-	0.1	0.1	*	-	-	-	-	0.3
	TOTAL----	-	-	-	-	-	-	0.2	4.7	15.7	22.8	12.8	0.4	-	-	56.6
41	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	0.4	0.4	*	-	-	-	0.8
	4	-	-	-	-	-	-	-	0.1	0.3	1.2	0.2	-	-	-	1.8
	5	-	-	-	-	-	-	*	0.5	0.9	2.4	0.4	-	-	-	4.3
	6	-	-	-	-	-	-	0.1	1.0	3.3	1.7	0.2	-	-	-	6.2
	7	-	-	-	-	-	-	0.6	0.2	1.7	0.4	-	-	-	-	2.9
	TOTAL----	-	-	-	-	-	-	0.7	1.8	6.6	6.1	0.8	-	-	-	16.0
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	0.1	*	-	-	-	-	-	-	0.1
	TOTAL----	-	-	-	-	-	-	0.1	*	-	-	-	-	-	-	0.1
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	0.1	0.8	1.0	0.1	-	-	-	2.2
	3	-	-	-	-	-	-	-	0.1	0.5	1.5	0.4	-	-	-	2.4
	4	-	-	-	-	-	-	-	-	*	0.1	-	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	*	0.2	1.3	2.7	0.5	-	-	-	4.7
32	1-2	-	-	-	-	-	-	-	0.1	0.5	0.3	*	-	-	-	1.0
	3	-	-	-	-	-	-	-	*	0.4	0.8	0.2	-	-	-	1.4
	4	-	-	-	-	-	-	-	*	-	0.3	*	-	-	-	0.4
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	0.2	0.8	1.5	0.3	-	-	-	2.8
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	0.2	*	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	0.1
	TOTAL----	-	-	-	-	-	-	-	-	-	0.3	0.1	-	-	-	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 9. -- Kansas: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	0.1	0.1	*	-	-	-	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	0.1	0.1	*	-	-	-	0.2
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	0.2	-	-	-	-	0.2
	6	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	-	0.1	-	-	-	-	0.1
TOTAL----		-	-	-	-	-	-	-	-	-	0.4	-	-	-	-	0.4
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	*	0.1	0.1	-	-	-	-	0.2
All Colors	8 2/	-	-	-	-	-	-	1.7	0.5	*	*	*	-	-	-	2.3
TOTAL, ALL-----		-	-	-	-	-	*	2.9	8.9	27.8	42.2	17.7	0.5	-	-	100.0
EXTRANEEOUS MATTER																Average Staple 35.6
																Percent Tenderable 22.2
Bark - Level 1		28.8														
Bark - Level 2		-														
Grass - Level 1		-														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

5,621 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	0.4
31	1-2	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	3	-	-	-	-	0.1	0.3	0.9	2.2	3.1	2.0	0.8	*	*	-	9.4
	4	-	-	-	-	*	*	0.1	0.5	1.0	1.3	0.9	0.1	*	-	3.9
	5	-	-	-	-	-	-	-	*	*	0.1	0.2	*	-	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	*	-	-	*
TOTAL----		-	-	-	-	0.1	0.3	1.1	2.8	4.2	3.4	2.0	0.2	*	-	14.1
41	1-2	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	3	-	-	-	*	0.3	1.8	5.5	6.8	5.2	2.8	0.7	*	*	-	23.3
	4	-	-	-	-	*	0.8	2.8	5.0	6.9	5.8	2.7	0.1	*	-	24.3
	5	-	-	-	-	*	*	0.1	0.2	0.7	1.0	1.0	0.2	*	*	3.2
	6	-	-	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	0.4
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	0.4	2.7	8.5	12.2	12.9	9.8	4.6	0.4	*	*	51.5
51	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	0.2	0.9	1.7	1.7	0.8	0.2	*	*	-	-	5.6
	4	-	-	-	*	0.1	1.1	2.6	2.9	2.3	0.9	0.3	*	-	-	10.4
	5	-	-	-	*	*	0.2	0.3	0.4	0.4	0.3	0.2	*	*	-	1.8
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	*	0.3	2.2	4.7	5.0	3.7	1.5	0.5	*	*	*	17.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
42	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	*	-	-	1.0
	4	-	-	-	-	*	0.1	0.5	1.0	0.6	0.2	*	*	-	-	2.6
	5	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.2	0.9	1.6	1.0	0.3	0.1	*	-	-	4.1
52	1-2	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	*	0.1	0.3	0.5	0.7	0.2	0.1	*	-	-	-	1.9
	4	-	-	-	*	0.1	0.6	1.6	2.2	1.2	0.3	0.1	*	-	-	6.1
	5	-	-	-	*	*	0.1	0.5	0.7	0.4	0.1	*	-	-	-	1.9
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	*	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	0.1	1.0	2.7	3.7	1.9	0.6	0.1	*	-	-	10.0

* Less than 0.05 percent.

Table 10. -- Louisiana: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY		LEAF	STAPLE														TOTAL	
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	*	*	0.1	0.1	-	*	*	-	-	-	0.3		
	5	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3		
	6	-	-	-	-	-	*	*	-	-	*	-	-	-	-	-		
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*		
TOTAL----	-	-	-	-	-	-	0.1	0.3	0.2	0.1	-	*	-	-	-	0.7		
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
33	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*		
	3	-	-	-	-	-	*	*	-	-	*	*	-	-	-	*		
	4	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*		
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----	-	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*		
43	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*		
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*		
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1		
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*		
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1		
53	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*		
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1		
	4	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4		
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1		
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	-	0.7		
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	-	-	*	-	-	*	*	*	*	*	*	-	-	-	*		
	4	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	-	0.2		
	5	-	-	-	-	-	*	0.1	*	*	-	-	*	-	-	0.1		
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*		
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL----	-	-	-	-	*	*	0.2	0.1	*	*	-	*	-	-	-	0.3		
24-54	1-7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*		
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7	-	-	-	-	*	*	*	*	-	-	-	-	-	-	*		
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*		
TOTAL, ALL-----		-	-	-	*	1.0	6.6	18.6	26.0	24.1	15.7	7.3	0.6	*	*	100.0		
EXTRANEIOUS MATTER																Average Staple	34.5	
																Percent Tenderable	50.6	
Bark - Level 1		0.1																
Bark - Level 2		-																
Grass - Level 1		0.5																
Grass - Level 2		-																
Prep - Level 1		0.1																
Prep - Level 2		-																
Other - Level 1		0.1																
Other - Level 1		-																

279,166 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.8
31	1-2	-	-	-	-	-	*	*	0.1	0.1	*	*	*	*	-	0.2
	3	-	-	*	-	*	0.1	1.0	3.0	4.3	3.7	2.4	0.3	*	*	14.8
	4	-	-	-	-	*	*	0.2	1.2	3.0	4.8	6.3	1.1	0.1	*	16.7
	5	-	-	-	-	-	-	-	0.1	0.2	0.5	0.9	0.3	*	*	2.0
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	TOTAL----	-	-	*	-	*	0.1	1.3	4.4	7.5	9.1	9.6	1.6	0.2	*	33.8
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	*	*	0.2	0.8	1.9	2.7	2.1	1.1	0.1	*	*	9.0
	4	-	-	-	-	*	0.1	0.7	2.6	6.5	10.6	10.9	1.5	0.2	*	33.1
	5	-	-	-	-	*	*	0.1	0.5	1.8	4.4	6.9	1.5	0.2	*	15.5
	6	-	-	-	-	-	*	*	*	0.2	0.6	1.1	0.3	0.1	*	2.3
	7	-	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	0.3
	TOTAL----	-	-	-	*	*	0.4	1.7	5.1	11.3	17.8	20.1	3.5	0.5	*	60.3
51	1-2	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	4	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	-	-	0.7
	5	-	-	-	-	*	*	*	*	0.1	0.2	0.2	*	*	-	0.7
	6	-	-	-	-	-	*	*	*	*	0.1	0.2	*	*	*	0.4
	7	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.4	0.6	0.6	0.1	*	*	2.2
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	0.3
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	0.8
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.4	0.4	0.3	*	*	-	1.7
52	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	-
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	4	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	-	0.7

* Less than 0.05 percent.

Table 11. -- Mississippi: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
43	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	-	-	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	-	-	-	*	*	*	*	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
24-54	1-7	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.1
TOTAL, ALL-----		-	-	*	*	*	0.7	3.5	10.4	20.2	28.4	31.0	5.3	0.7	0.1	100.0
EXTRANEIOUS MATTER																
Bark - Level 1		0.5														35.9
Bark - Level 2		*														75.1
Grass - Level 1		0.4														
Grass - Level 2		*														
Prep - Level 1		1.5														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

641,345 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.1
	3	-	-	-	-	-	-	*	*	0.2	0.4	0.1	*	*	-	0.8
	4	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	0.3	0.5	0.2	*	*	-	1.1
31	1-2	-	-	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	-	0.8
	3	-	-	-	-	*	*	0.2	1.6	5.9	10.1	4.2	0.4	*	*	22.4
	4	-	-	-	-	-	*	*	0.5	2.7	9.0	5.7	0.2	*	-	18.0
	5	-	-	-	-	-	*	*	*	0.2	0.9	1.1	*	*	*	2.2
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	2.2	9.1	20.2	11.1	0.6	*	*	43.5
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	0.2	1.0	3.2	4.8	2.5	0.4	0.1	-	12.0
	4	-	-	-	-	*	*	0.2	1.0	5.4	13.8	7.8	0.5	0.1	*	28.8
	5	-	-	-	-	-	*	*	0.2	1.4	5.0	4.1	0.2	*	*	10.9
	6	-	-	-	-	-	-	*	*	0.2	0.7	0.9	0.1	*	*	1.8
	7	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
TOTAL----		-	-	-	-	*	*	0.4	2.2	10.2	24.3	15.3	1.2	0.2	*	53.7
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL----		-	-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	0.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
32	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	0.1	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	0.4
42	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	*	*	-	0.7
52	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*

* Less than 0.05 percent.

Table 12. -- Missouri: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
43	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	*	*	-	*	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	*	*	*	*	*	*
TOTAL, ALL-----		-	-	-	-	*	0.1	0.7	4.6	20.0	45.6	27.1	1.8	0.2	*	100.0
EXTRANEEOUS MATTER																Average Staple 36.0
																Percent Tenderable 80.2
Bark - Level 1		0.1														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		-														
Prep - Level 1		0.3														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

677,283 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	0.2	2.0	10.2	29.0	10.1	3.3	0.1	54.8
	3	-	-	-	-	-	-	-	*	0.1	1.1	5.4	4.4	2.2	0.1	13.3
	4	-	-	-	-	-	-	-	-	-	*	0.1	*	-	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	0.2	2.1	11.3	34.5	14.5	5.5	0.2	68.3
31	1-2	-	-	-	-	-	-	-	*	0.2	1.3	7.1	3.6	0.7	*	12.9
	3	-	-	-	-	-	-	-	-	0.1	1.3	7.1	4.8	1.5	0.1	14.9
	4	-	-	-	-	-	-	-	-	-	0.5	0.8	0.9	0.4	0.1	2.6
	5	-	-	-	-	-	-	-	-	-	0.1	*	0.1	*	-	0.2
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	0.3	3.2	15.0	9.4	2.5	0.3	30.7
41	1-2	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	0.1	0.1	*	-	0.3
	4	-	-	-	-	-	-	-	-	*	0.1	0.1	0.1	*	*	0.3
	5	-	-	-	-	-	-	-	-	-	0.1	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	0.2	0.3	0.1	*	*	*	0.7
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	*	*	*	-	0.1	-	0.1
	3	-	-	-	-	-	-	-	-	-	*	*	-	*	-	0.1
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	0.1	0.1	-	0.1	-	0.2
32	1-2	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	*	-	-	0.1
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	*	*	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Less than 0.05 percent.

Table 13. -- New Mexico: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY		LEAF	STAPLE														
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL-----		-	-	-	-	-	-	-	0.2	2.4	14.8	49.9	24.1	8.2	0.5	100.0	
EXTRANEEOUS MATTER																Average Staple	37.2
																Percent Tenderable	64.0
Bark - Level 1		0.7															
Bark - Level 2		-															
Grass - Level 1		0.2															
Grass - Level 2		-															
Prep - Level 1		-															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

19,816 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	*	-	0.5
31	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2
	3	-	-	-	*	0.1	0.6	2.4	5.5	5.4	2.2	0.7	*	*	-	16.8
	4	-	-	-	*	*	0.1	0.9	3.2	4.5	2.4	0.9	*	*	*	12.0
	5	-	-	-	-	-	*	*	0.1	0.4	0.3	0.1	*	*	*	1.0
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	-	-	*	-	*
TOTAL----		-	-	-	*	0.1	0.7	3.3	8.9	10.3	4.9	1.7	0.1	*	*	30.1
41	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	0.1	0.5	2.1	4.3	3.8	1.5	0.6	*	*	-	13.0
	4	-	-	-	*	*	0.6	3.2	9.1	12.1	6.5	2.8	0.3	*	*	34.5
	5	-	-	-	*	*	0.1	0.6	2.1	3.9	3.1	1.5	0.2	*	*	11.6
	6	-	-	-	-	*	*	0.1	0.3	0.9	0.8	0.4	*	*	*	2.5
	7	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	0.3
TOTAL----		-	-	-	*	0.1	1.2	6.0	15.9	20.7	12.0	5.3	0.6	0.1	*	61.9
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	-	*	*	0.1	0.3	0.5	0.5	0.2	0.1	*	-	*	1.6
	5	-	-	-	-	*	0.1	0.2	0.3	0.4	0.3	0.1	*	*	-	1.4
	6	-	-	-	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	-	0.6
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
TOTAL----		-	-	-	*	*	0.2	0.6	1.1	1.2	0.7	0.3	*	*	-	4.0
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	-	*	*	-	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	4	-	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.7
42	1-2	-	-	-	-	*	*	*	-	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.5
	4	-	-	-	*	*	*	0.2	0.4	0.4	0.2	*	*	*	-	1.3
	5	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	0.1	0.4	0.7	0.8	0.3	0.1	*	*	*	2.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	0.1	*	*	*	*	*	-	0.2

* Less than 0.05 percent.

Table 14. -- North Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*
TOTAL, ALL-----		-	-	-	*	0.3	2.3	10.5	27.0	33.5	18.2	7.5	0.8	0.1	*	100.0
EXTRANEEOUS MATTER																
																Average Staple
																34.8
																Percent Tenderable
																78.0
Bark - Level 1		0.2														
Bark - Level 2		-														
Grass - Level 1		1.1														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

620,808 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE															TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
11 & 21	1-2	-	-	-	-	-	-	0.1	0.3	1.3	2.0	1.4	0.4	0.1	*	5.5	
	3	-	-	-	-	-	*	0.1	0.4	1.5	3.0	3.2	0.9	0.2	*	9.4	
	4	-	-	-	-	-	-	*	*	0.1	0.4	0.3	0.1	*	*	0.9	
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*	
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	0.1	0.8	2.9	5.3	4.9	1.4	0.3	*	15.9	
31	1-2	-	-	-	-	*	*	0.1	0.6	1.8	2.2	1.4	0.4	*	*	6.7	
	3	-	-	-	-	*	0.1	0.3	1.9	8.3	14.6	16.0	5.7	1.0	*	47.9	
	4	-	-	-	-	*	*	0.1	0.6	2.0	4.3	4.8	1.7	0.5	0.1	14.1	
	5	-	-	-	-	-	*	*	0.1	0.4	0.8	0.7	0.2	0.1	*	2.2	
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	0.1	
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*	
TOTAL----		-	-	-	-	*	0.1	0.5	3.1	12.5	21.9	23.0	8.1	1.6	0.1	71.0	
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.2	
	3	-	-	-	-	*	*	*	0.1	0.9	1.4	1.3	0.7	0.1	*	4.6	
	4	-	-	-	-	*	*	*	0.2	0.5	1.2	1.7	0.7	0.2	*	4.7	
	5	-	-	-	-	*	*	*	0.1	0.2	0.4	0.6	0.2	0.1	*	1.6	
	6	-	-	-	-	-	*	*	*	*	*	0.1	*	*	-	0.2	
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1	
TOTAL----		-	-	-	-	*	*	0.1	0.4	1.7	3.2	3.8	1.7	0.4	*	11.4	
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.1	
TOTAL----		-	-	-	-	-	*	*	0.1	*	*	*	*	-	-	0.2	
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.3	
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1	
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	*	*	0.1	0.2	0.2	*	-	-	0.4	
32	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	-	-	0.2	
	4	-	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	0.4	
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	*	*	*	0.7	
42	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	4	-	-	-	-	*	-	*	*	*	*	*	*	*	-	*	
	5	-	-	-	-	-	-	*	*	*	*	*	-	*	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
TOTAL----		-	-	-	-	*	-	*	*	*	*	*	*	*	-	0.1	
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*	
	4	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*	
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	

* Less than 0.05 percent.

Table 15. -- Oklahoma: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY		STAPLE															
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	*	-	*	*	*	*	-	-	-	-	
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*	
33	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	0.1	
	5	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.2	
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	*	*	*	*	-	-	*	
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	5	-	-	-	-	-	*	-	-	*	*	-	-	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	*	-	*	*	*	*	*	-	-	*	
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*	
	4	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	*	-	-	*	*	-	-	*	
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
24-54	1-7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1	
TOTAL, ALL-----		-	-	-	-	*	0.2	0.8	4.6	17.5	31.0	32.2	11.2	2.3	0.2	100.0	
EXTRANEIOUS MATTER		Average Staple Percent Tenderable															36.3 88.6
Bark - Level 1		5.1															
Bark - Level 2		-															
Grass - Level 1		*															
Grass - Level 2		-															
Prep - Level 1		*															
Prep - Level 2		-															
Other - Level 1		*															
Other - Level 1		-															

128,080 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	-	*	0.1	0.2	0.1	*	*	-	-	0.6
	4	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	*	*	*	0.1	0.2	0.1	*	*	-	-	0.7
31	1-2	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.1
	3	-	-	-	*	0.1	0.2	0.8	3.7	7.4	4.0	1.1	*	-	-	17.3
	4	-	-	-	-	*	*	0.2	1.0	3.1	2.7	1.3	0.1	*	-	8.3
	5	-	-	-	-	-	*	*	0.1	0.2	0.2	0.2	*	*	-	0.7
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	*	0.1	0.2	1.0	4.8	10.7	6.9	2.6	0.1	*	-	26.4
41	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	0.1	0.3	1.7	6.1	8.0	3.3	1.0	*	*	-	20.5
	4	-	-	-	*	*	0.3	1.6	6.0	12.1	8.7	4.0	0.4	*	-	33.1
	5	-	-	-	-	*	*	0.2	1.0	2.1	2.4	1.7	0.3	0.1	-	7.8
	6	-	-	-	-	-	*	*	0.1	0.4	0.5	0.3	*	*	-	1.5
	7	-	-	-	-	-	-	*	*	*	0.1	*	*	*	-	0.1
TOTAL----		-	-	-	*	0.1	0.6	3.6	13.3	22.7	15.0	7.0	0.7	0.1	-	63.2
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	-	-	-	0.7
	4	-	-	-	-	*	*	0.3	0.8	1.4	0.8	0.2	*	-	-	3.6
	5	-	-	-	-	-	*	*	0.2	0.6	0.4	0.2	*	*	*	1.5
	6	-	-	-	-	-	-	*	0.1	0.1	0.2	0.1	*	*	-	0.4
	7	-	-	-	-	-	-	-	*	*	0.1	*	*	-	-	0.1
TOTAL----		-	-	-	-	*	*	0.4	1.4	2.3	1.5	0.5	*	*	*	6.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	-	*	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	0.1	0.1	*	-	-	-	0.3
	4	-	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	0.6
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	*	-	-	0.5
	4	-	-	-	*	*	*	0.1	0.2	0.5	0.3	0.1	*	*	-	1.3
	5	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.4
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL----		-	-	-	*	*	*	0.2	0.4	0.8	0.6	0.2	*	*	-	2.2
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5

* Less than 0.05 percent.

Table 16. -- South Carolina: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL-----		-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL-----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL, ALL-----		-	-	-	*	0.3	0.9	5.2	20.3	37.1	24.5	10.5	0.9	0.1	*	100.0
EXTRANEEOUS MATTER																
																Average Staple
																35.1
																Percent Tenderable
																81.3
Bark - Level 1		0.3														
Bark - Level 2		-														
Grass - Level 1		0.6														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

180,431 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	0.4	0.3	0.1	*	-	-	-	0.9
	3	-	-	-	-	*	0.1	0.7	2.1	2.3	0.7	0.1	*	-	-	5.9
	4	-	-	-	-	-	*	*	0.2	0.4	0.2	*	*	-	-	1.0
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	*	0.1	0.9	2.7	3.0	1.0	0.1	*	-	-	7.9
31	1-2	-	-	-	-	*	*	0.2	0.3	0.2	*	*	-	-	-	0.8
	3	-	-	-	-	*	0.4	2.4	7.1	8.1	3.0	0.6	*	*	-	21.7
	4	-	-	-	-	*	0.1	0.9	4.0	8.0	5.7	1.5	0.1	*	-	20.3
	5	-	-	-	-	-	*	*	0.3	1.0	1.1	0.4	*	*	-	3.0
	6	-	-	-	-	-	*	*	*	*	0.1	*	*	*	-	0.2
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL----	-	-	-	-	*	0.6	3.6	11.7	17.4	9.9	2.6	0.2	*	-	45.9
41	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	-	*	0.1	0.6	2.3	2.7	0.9	0.2	*	*	-	6.7
	4	-	-	-	-	*	0.1	0.7	3.6	8.3	6.2	2.2	0.1	*	-	21.3
	5	-	-	-	-	*	*	0.1	0.8	2.9	4.1	2.5	0.2	*	*	10.6
	6	-	-	-	-	-	*	*	0.1	0.4	0.8	0.6	0.1	*	*	2.0
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
	TOTAL----	-	-	-	-	*	0.2	1.5	6.9	14.2	11.9	5.6	0.5	*	*	40.8
51	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	0.5
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	TOTAL----	-	-	-	-	*	-	-	*	*	-	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.6
	4	-	-	-	-	*	*	*	0.2	0.5	0.3	0.1	*	*	-	1.1
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	TOTAL----	-	-	-	-	*	*	0.1	0.3	0.8	0.6	0.2	*	*	-	2.0
42	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	*	*	0.1	0.4	0.5	0.2	0.1	*	-	-	1.3
	5	-	-	-	-	-	*	*	0.2	0.2	0.3	0.1	*	*	-	0.8
	6	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL----	-	-	-	-	*	*	0.2	0.6	0.8	0.6	0.2	*	*	-	2.5
52	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	TOTAL----	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*

* Less than 0.05 percent.

Table 17. -- Tennessee: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	0.1	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	0.1	*	*	*	*	-	-	0.2
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
TOTAL, ALL----		-	-	-	-	*	1.0	6.3	22.6	36.4	24.2	8.8	0.7	*	*	100.0
EXTRANEEOUS MATTER		Average Staple														35.1
		Percent Tenderable														74.0
Bark - Level 1		0.1														
Bark - Level 2		-														
Grass - Level 1		0.1														
Grass - Level 2		*														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		*														

518,434 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	*	*	*	0.1	0.3	0.8	1.5	2.2	2.8	0.8	0.1	*	8.7
	3	-	*	*	*	*	0.1	0.4	1.0	2.2	4.6	9.1	4.3	0.9	*	22.8
	4	-	-	*	*	*	*	*	0.1	0.2	0.5	1.0	0.7	0.2	*	2.8
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	TOTAL----	-	*	*	*	0.1	0.3	0.8	1.8	4.0	7.3	12.9	5.8	1.3	0.1	34.4
31	1-2	-	*	*	*	*	0.1	0.2	0.2	0.4	0.5	0.5	0.1	*	*	2.0
	3	-	*	*	*	0.2	0.5	1.1	1.9	3.2	4.7	7.0	2.9	0.6	*	22.0
	4	-	*	*	*	0.1	0.2	0.4	0.8	1.4	2.5	4.5	2.5	0.7	*	13.0
	5	-	-	*	*	*	*	0.1	0.1	0.2	0.4	0.7	0.5	0.1	*	2.2
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	0.1	0.3	0.8	1.7	3.0	5.3	8.2	12.8	5.9	1.4	0.1	39.5
41	1-2	-	-	*	*	*	*	*	0.1	*	*	*	*	*	-	0.2
	3	-	*	*	*	0.1	0.3	0.7	1.1	1.2	0.9	0.5	0.1	*	*	5.1
	4	-	*	*	*	0.1	0.2	0.4	0.8	1.1	1.2	1.2	0.4	*	*	5.5
	5	-	-	*	*	*	0.1	0.1	0.2	0.3	0.4	0.6	0.3	0.1	*	2.0
	6	-	-	-	*	*	*	*	*	*	0.1	0.1	*	*	*	0.4
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	TOTAL----	-	*	*	*	0.3	0.7	1.3	2.2	2.7	2.6	2.4	0.8	0.1	*	13.3
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	-	0.7
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.2	*	*	*	1.0
	5	-	-	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.4
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	-	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	-	*	*	*	0.1	0.2	0.4	0.5	0.5	0.3	0.1	*	*	2.2
61	1-2	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL----	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
12 & 22	1-2	-	-	*	*	*	*	*	0.1	0.1	0.2	0.2	*	*	*	0.6
	3	-	-	*	*	*	*	*	0.1	0.3	0.5	0.8	0.3	0.1	*	2.3
	4	-	-	-	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	TOTAL----	-	-	*	*	*	0.1	0.1	0.2	0.5	0.9	1.2	0.4	0.1	*	3.5
32	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	*	*	*	*	0.1	0.1	0.1	0.1	0.2	0.3	0.1	*	*	1.1
	4	-	*	*	*	*	0.1	0.1	0.1	0.1	0.1	0.3	0.2	*	*	1.1
	5	-	*	*	*	*	*	*	*	*	*	0.1	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	0.1	0.2	0.3	0.3	0.3	0.4	0.6	0.3	0.1	*	2.6
42	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.5
	4	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	-	0.8
	5	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.4
	6	-	*	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	TOTAL----	-	*	*	*	0.1	0.2	0.4	0.5	0.3	0.2	0.1	*	*	*	1.9
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	-	-	0.4
	5	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	-	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	TOTAL----	-	*	*	*	*	0.1	0.2	0.3	0.2	0.2	0.1	*	*	-	1.0

* Less than 0.05 percent.

Table 18. -- Texas: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY		LEAF	STAPLE														
COLOR	26 & -		28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL	
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*	
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*	
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*	
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1	
13 & 23	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	3	-	-	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	0.3	
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1	
	5	-	-	-	-	-	*	-	*	*	*	*	*	-	-	*	
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*	
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL----		-	-	*	*	*	*	*	*	0.1	0.1	0.2	*	*	*	0.5	
33	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*	
	3	-	*	*	*	*	*	*	*	*	0.1	0.1	*	*	*	0.3	
	4	-	*	*	*	*	*	*	*	*	*	0.1	*	*	*	0.2	
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	-	-	*	*	*	-	-	-	*	-	-	-	*	
TOTAL----		-	*	*	*	*	*	*	*	0.1	0.1	0.2	0.1	*	*	0.6	
43	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*	
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
	7	-	-	*	-	*	*	*	*	*	*	*	*	*	*	*	
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1	
53	1-2	-	-	-	-	*	*	-	-	*	*	-	-	-	-	*	
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*	
	4	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*	
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*	
TOTAL----		-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1	
63	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*	
	3	-	-	*	-	*	-	*	*	*	*	*	-	-	-	*	
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*	
	7	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*	
TOTAL----		-	-	-	*	*	*	*	*	*	*	*	*	-	-	*	
24-54	1-7	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*	
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
All Colors	8 2/	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*	
TOTAL, ALL-----		-	*	*	0.2	0.9	2.5	5.1	8.9	14.2	20.5	30.9	13.5	3.0	0.2	100.0	
EXTRANEEOUS MATTER																Average Staple	36.0
																Percent Tenderable	45.9
Bark - Level 1		33.6															
Bark - Level 2		*															
Grass - Level 1		1.1															
Grass - Level 2		*															
Prep - Level 1		*															
Prep - Level 2		*															
Other - Level 1		0.1															
Other - Level 1		*															

2,435,408 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY		STAPLE														
COLOR	LEAF	26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
31	1-2	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	0.3	1.3	3.0	2.1	0.5	*	-	-	-	7.3
	4	-	-	-	*	*	0.2	1.5	5.9	6.9	2.2	0.3	*	*	-	16.9
	5	-	-	-	-	-	*	0.1	0.7	1.3	0.8	0.2	-	-	-	3.0
	6	-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	-	0.3
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	*	*	0.5	2.9	9.7	10.4	3.5	0.6	*	*	-	27.6
41	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	*	*	0.4	1.7	3.0	1.7	0.3	*	-	-	-	7.2
	4	-	-	-	*	0.1	0.7	4.0	12.8	13.0	3.1	0.4	*	-	-	34.1
	5	-	-	-	-	*	0.1	0.9	4.7	7.3	3.0	0.5	*	*	-	16.5
	6	-	-	-	-	*	*	0.2	1.3	2.4	1.1	0.2	*	-	-	5.1
	7	-	-	-	-	*	*	*	0.2	0.3	0.1	*	-	-	-	0.6
TOTAL----		-	-	-	*	0.1	1.2	6.9	22.0	24.6	7.6	1.1	*	*	-	63.5
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	0.1	0.4	0.3	0.1	*	-	-	-	0.9
	5	-	-	-	-	-	*	0.1	0.2	0.2	*	*	-	-	-	0.5
	6	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.2	0.8	0.6	0.1	*	-	-	-	1.8
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	-	*	-	-	-	-	*
32	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	0.2	0.1	*	*	-	-	-	0.4
	4	-	-	-	-	-	*	*	0.2	0.2	0.1	*	-	-	-	0.6
	5	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	*	0.1	0.5	0.4	0.2	*	-	-	-	1.2
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	0.1	0.2	0.5	0.3	*	*	-	-	-	1.0
	4	-	-	-	-	*	0.1	0.4	1.3	1.0	0.2	*	-	-	-	3.0
	5	-	-	-	-	-	*	0.1	0.3	0.5	0.3	0.1	-	-	-	1.4
	6	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	0.2	0.7	2.1	1.9	0.6	0.1	-	-	-	5.6
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1

* Less than 0.05 percent.

Table 19. -- Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
December 4, 2008

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL-----		-	-	-	*	0.1	1.9	10.8	35.1	38.0	12.1	1.9	*	*	-	100.0
EXTRANEIOUS MATTER																
																Average Staple
																Percent Tenderable
Bark - Level 1		0.3														34.5
Bark - Level 2		-														75.1
Grass - Level 1		1.0														
Grass - Level 2		-														
Prep - Level 1		0.1														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

88,514 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through December 4, 2008

MIKE AND FIBER STRENGTH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
MIKE 24 & below	-	-	-	*	*	-	1.3	-	*
25	*	*	*	*	*	-	3.1	-	*
26	*	*	*	*	*	-	4.7	-	*
27	*	*	*	*	*	*	6.4	-	*
28	*	0.1	*	*	*	*	4.9	*	*
29	*	0.2	*	0.1	*	*	5.1	*	*
30	*	0.2	*	0.1	*	*	6.2	*	*
31	*	0.1	*	0.3	*	*	8.8	*	*
32	0.1	0.2	*	0.5	*	*	5.4	*	*
33	0.1	0.2	0.1	0.8	*	*	4.5	*	0.1
34	0.1	0.3	0.1	1.1	*	*	5.8	*	0.2
35	0.2	0.4	0.2	1.7	0.1	0.1	5.0	0.1	0.3
36	0.3	0.7	0.3	2.9	0.2	0.2	5.5	0.1	0.5
37	0.4	1.2	0.5	4.1	0.3	0.4	4.6	0.3	0.6
38	0.6	1.8	0.8	5.4	0.4	0.7	5.5	0.4	1.0
39	1.0	2.6	1.4	7.6	0.9	1.3	4.4	0.7	1.6
40	1.6	2.7	2.1	9.5	1.6	2.2	3.1	1.1	2.6
41	2.5	3.5	3.1	11.1	2.4	3.6	4.7	1.4	4.2
42	3.5	4.0	4.4	11.3	3.6	5.7	2.8	2.3	5.8
43	4.9	5.0	6.2	10.9	4.8	8.1	2.9	3.1	7.7
44	6.7	5.6	8.0	9.9	7.0	10.4	1.4	4.4	9.2
45	8.6	6.2	9.8	8.3	9.3	11.9	1.4	6.0	9.6
46	10.4	7.8	11.0	5.8	12.1	12.7	2.0	7.9	10.0
47	12.0	9.5	12.0	3.9	13.6	12.3	0.4	10.7	10.1
48	12.4	11.3	11.5	2.6	13.7	10.7	-	12.7	9.8
49	11.5	12.2	9.9	1.2	12.1	8.5	-	13.6	8.6
50	9.4	10.4	7.6	0.5	9.6	5.7	-	13.4	6.8
51	6.7	7.4	5.2	0.1	5.5	3.2	-	10.5	4.8
52	3.9	4.1	3.2	*	2.1	1.6	-	6.5	3.4
53	2.0	1.9	1.6	*	0.6	0.5	-	3.3	1.9
54	0.7	0.4	0.7	*	0.2	0.1	-	1.1	0.6
55	0.2	0.1	0.2	-	*	*	-	0.3	0.2
56	*	*	*	-	*	*	-	*	0.1
57	*	*	*	-	*	-	-	*	*
58	-	-	*	-	-	-	-	*	*
59	-	-	-	-	-	-	-	-	*
60 & above	-	-	-	-	-	-	-	-	-
Average mike	48	48	48	-	48	47	-	48	47
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-
21	*	-	-	-	-	*	-	*	-
22	*	-	-	-	*	*	-	0.1	-
23	0.1	*	*	-	*	*	-	0.8	*
24	0.4	0.1	*	-	0.2	0.1	*	3.1	0.1
25	2.0	0.2	*	*	0.8	0.7	0.7	7.0	0.6
26	7.6	0.7	0.3	0.1	4.4	4.3	7.1	11.8	2.1
27	17.6	3.4	1.0	0.6	14.4	12.8	19.8	15.4	5.0
28	25.6	8.8	4.0	1.3	28.4	25.4	23.2	18.0	11.8
29	23.5	17.6	12.0	2.7	27.7	29.2	15.3	19.3	21.6
30	14.0	25.1	24.4	4.7	16.0	18.2	10.5	13.7	26.3
31	6.2	22.4	30.4	4.5	5.9	6.9	13.4	7.6	19.3
32	2.1	13.5	19.8	5.2	1.7	2.0	7.2	2.7	9.5
33	0.6	5.7	6.6	11.2	0.3	0.3	2.7	0.5	3.0
34	0.1	1.9	1.3	23.2	*	*	*	0.1	0.5
35	*	0.6	0.2	25.6	*	*	*	*	*
36 & above	*	0.1	*	20.9	-	*	-	*	*
Average strength	28.4	30.3	30.7	34.0	28.6	28.7	28.8	28.1	29.8

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 20. -- Percentage distribution of mike and fiber strength for upland cotton classed through December 4, 2008

MIKE AND FIBER STRENGTH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
MIKE 24 & below	*	*	-	*	*	-	0.8	-	0.2
25	*	0.2	-	*	-	*	0.9	-	0.2
26	*	0.1	-	0.1	*	*	1.2	-	0.3
27	*	0.4	-	0.1	*	*	1.5	-	0.4
28	*	0.7	*	0.2	*	*	1.8	-	0.5
29	*	1.4	-	0.2	*	*	2.2	-	0.6
30	*	3.5	-	0.2	*	*	2.4	-	0.7
31	*	5.7	*	0.4	*	*	2.7	-	0.8
32	0.1	7.1	*	0.5	*	*	2.9	-	0.9
33	0.1	8.0	*	0.6	*	0.1	3.1	-	1.0
34	0.3	8.5	*	0.8	*	0.2	3.4	*	1.1
35	0.4	7.4	0.1	1.4	0.1	0.3	3.7	0.1	1.3
36	0.7	8.2	0.3	2.0	0.2	0.5	4.0	0.3	1.5
37	1.0	8.2	0.6	2.8	0.3	1.0	4.3	0.9	1.8
38	1.5	7.6	1.2	3.9	0.6	1.5	4.6	2.0	2.2
39	2.2	7.0	2.1	4.6	1.2	2.5	4.9	3.4	2.8
40	3.1	6.5	3.5	5.8	2.4	3.6	5.1	4.6	3.5
41	4.5	5.5	5.0	7.0	4.0	4.6	5.1	6.7	4.4
42	5.9	4.7	6.7	8.5	6.0	5.6	5.1	8.6	5.4
43	7.2	3.9	8.2	9.2	8.0	6.7	5.0	9.0	6.5
44	8.7	3.1	9.6	9.8	10.6	7.5	5.1	9.4	7.6
45	9.8	1.4	10.2	10.0	11.9	8.6	5.1	9.5	8.4
46	10.3	0.6	10.8	9.2	12.4	9.5	4.9	9.5	8.9
47	10.4	0.2	10.9	7.6	11.6	9.7	4.7	9.5	9.1
48	9.5	0.1	9.5	5.7	10.2	9.3	4.4	8.4	8.6
49	8.0	*	7.6	4.1	8.2	8.2	3.9	6.7	7.4
50	6.2	*	5.7	2.5	5.5	6.8	3.0	4.6	5.7
51	4.4	-	3.9	1.5	3.3	5.0	1.9	3.4	3.9
52	2.8	-	2.4	0.8	1.9	3.5	1.1	2.4	2.4
53	1.7	-	1.1	0.3	0.9	2.3	0.6	1.0	1.2
54	0.8	-	0.3	0.1	0.4	1.4	0.3	0.1	0.5
55	0.2	-	0.1	*	0.1	0.9	0.1	*	0.2
56	*	-	*	*	*	0.3	*	-	*
57	*	-	*	*	*	*	*	*	*
58	-	-	*	*	*	-	*	*	*
59	-	-	-	-	-	-	*	-	*
60 & above	-	-	-	-	-	-	-	-	-
Average mike	48	-	43	-	48	48	47	-	46
FIBER STRENGTH 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	*	-	*
21	-	-	-	-	-	-	*	-	*
22	-	-	*	-	-	-	0.1	-	*
23	*	-	*	-	-	*	0.3	-	0.1
24	*	*	0.2	*	0.4	*	0.6	0.1	0.3
25	*	0.4	0.8	0.1	1.7	*	1.4	0.9	1.0
26	0.2	2.1	3.2	0.6	5.0	0.3	3.3	3.6	2.8
27	1.0	7.6	9.3	3.0	12.1	1.7	7.0	9.4	6.8
28	3.6	15.8	19.4	8.7	22.0	7.8	12.9	19.8	13.3
29	11.0	22.9	26.1	19.1	26.0	21.1	19.2	28.0	19.6
30	26.4	20.9	22.0	25.6	18.9	28.4	22.2	22.3	21.9
31	32.1	15.5	12.1	21.4	8.9	22.3	18.5	10.6	18.0
32	18.4	8.3	5.1	12.8	3.6	12.2	9.8	3.9	9.8
33	5.8	3.9	1.7	5.9	1.1	4.7	3.6	1.2	3.6
34	1.2	1.8	0.2	2.1	0.2	1.3	1.0	0.2	1.4
35	0.1	0.5	*	0.6	*	0.2	0.2	-	0.8
36 & above	*	0.1	-	*	-	*	*	-	0.6
Average strength	30.7	29.7	29.2	30.3	28.8	30.2	29.6	29.1	29.8

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex.)

* Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through December 4, 2008

UNIFORMITY AND TRASH	ALABAMA	ARIZONA	ARKANSAS	CALIFORNIA	FLORIDA	GEORGIA	KANSAS	LOUISIANA	MISSISSIPPI
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	*	-	-	-
73.5-74.4	-	-	-	-	-	*	-	*	-
74.5-75.4	-	-	-	-	-	*	-	*	-
75.5-76.4	*	*	*	*	*	*	*	0.2	*
76.5-77.4	0.3	0.1	*	*	0.1	0.6	0.3	1.6	*
77.5-78.4	4.6	0.8	0.1	0.2	2.8	6.1	3.8	7.9	0.6
78.5-79.4	14.9	5.5	0.5	1.3	14.3	21.8	15.2	19.2	3.0
79.5-80.4	25.6	23.8	3.6	3.9	35.5	36.0	30.1	26.2	11.2
80.5-81.4	28.0	36.6	16.5	17.7	31.0	24.5	25.6	23.5	26.2
81.5-82.4	20.5	24.9	47.0	29.4	12.2	8.4	19.5	14.3	35.5
82.5-83.4	5.7	7.3	28.9	22.3	3.6	2.2	5.4	5.8	20.3
83.5-84.4	0.4	1.0	3.3	21.5	0.5	0.3	*	1.1	3.1
84.5-85.4	*	*	0.1	3.3	*	*	*	*	*
85.5-86.4	*	-	*	0.3	*	-	-	-	-
86.5-87.4	-	-	-	-	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	80.6	81.0	82.1	82.5	80.5	80.1	80.6	80.3	81.7
TRASH 2/									
0.0	-	*	-	*	-	-	-	-	-
0.1	0.8	45.9	0.4	35.2	0.3	1.2	1.9	0.7	0.4
0.2	12.0	36.6	6.7	41.8	9.2	16.7	13.0	11.1	5.6
0.3	27.1	10.4	19.2	15.2	27.6	33.4	17.1	24.0	14.6
0.4	23.0	3.4	25.1	5.0	27.0	25.9	15.3	24.1	18.7
0.5	16.2	1.6	20.9	1.7	17.7	13.2	13.4	17.7	18.5
0.6	8.7	0.9	13.3	0.6	9.0	5.7	9.8	10.8	14.8
0.7	5.3	0.5	7.4	0.2	4.6	2.4	6.8	5.9	11.1
0.8	2.8	0.3	3.7	0.1	2.2	1.0	6.3	3.0	7.0
0.9	1.6	0.2	1.7	*	1.1	0.3	5.1	1.3	3.9
1.0	0.9	0.1	0.8	*	0.6	0.1	3.6	0.7	2.3
1.1	0.5	0.1	0.4	*	0.3	0.1	2.7	0.3	1.3
1.2	0.3	*	0.2	*	0.2	*	1.9	0.2	0.8
1.3	0.2	*	0.1	*	0.1	*	1.2	0.1	0.4
1.4	0.1	*	*	*	*	*	0.6	*	0.3
1.5	0.1	*	*	*	*	*	0.6	*	0.2
1.6	*	*	*	*	*	*	0.2	*	0.1
1.7	*	*	*	*	*	*	0.1	*	*
1.8 & above	0.1	*	*	-	*	*	0.2	*	0.1
Average trash	0.43	0.19	0.47	0.20	0.43	0.37	0.54	0.44	0.54

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 21. -- Percentage distribution of uniformity and trash for upland cotton classed through December 4, 2008

UNIFORMITY AND TRASH	MISSOURI	NEW MEXICO	NORTH CAROLINA	OKLAHOMA	SOUTH CAROLINA	TENNESSEE	TEXAS	VIRGINIA	UNITED STATES
UNIFORMITY 1/									
72.4 & below	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	*	-	*
73.5-74.4	-	-	-	-	-	-	*	-	*
74.5-75.4	-	-	-	*	*	-	*	-	*
75.5-76.4	*	-	*	*	-	-	0.2	-	0.1
76.5-77.4	*	*	*	0.4	*	*	1.2	*	0.5
77.5-78.4	0.1	0.7	0.6	2.0	1.7	0.1	4.4	0.2	2.7
78.5-79.4	0.8	4.1	3.7	7.4	8.1	1.0	12.1	1.6	8.6
79.5-80.4	4.0	21.2	14.8	18.7	24.0	6.0	23.9	9.6	18.0
80.5-81.4	19.7	36.1	32.8	30.0	32.3	23.7	29.4	30.3	25.6
81.5-82.4	46.2	26.4	33.8	27.9	23.1	42.5	20.5	41.3	28.4
82.5-83.4	26.5	9.8	12.4	11.7	9.5	23.2	7.1	15.0	13.8
83.5-84.4	2.8	1.6	1.8	1.7	1.3	3.3	1.0	1.9	2.3
84.5-85.4	0.1	0.1	0.1	0.1	0.1	0.1	*	0.1	0.1
85.5-86.4	*	-	-	-	-	*	*	-	*
86.5-87.4	-	-	-	-	-	-	-	-	*
87.5-88.4	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-
Average uniformity	82.0	81.2	81.4	81.2	81.0	81.9	80.7	81.6	81.2
TRASH 2/									
0.0	-	*	*	*	-	*	*	-	*
0.1	1.3	43.7	0.2	10.9	0.2	2.2	7.4	*	4.7
0.2	12.0	39.5	4.2	35.1	5.0	13.2	24.7	0.8	15.8
0.3	23.3	10.7	15.6	27.8	19.5	20.9	24.9	7.8	22.7
0.4	23.8	3.6	21.1	14.2	24.2	20.9	17.4	17.2	20.6
0.5	17.1	1.5	19.7	6.3	19.8	16.7	10.7	21.0	14.8
0.6	10.5	0.6	15.8	2.8	13.9	11.5	6.3	19.9	9.4
0.7	5.8	0.2	9.4	1.3	7.2	7.0	3.6	12.8	5.4
0.8	3.1	0.1	5.9	0.7	4.4	3.9	2.1	8.5	3.1
0.9	1.6	*	3.5	0.3	2.5	1.9	1.2	5.4	1.6
1.0	0.8	*	2.0	0.2	1.4	1.0	0.7	3.1	0.9
1.1	0.4	*	1.2	0.1	0.9	0.4	0.4	1.7	0.5
1.2	0.2	-	0.7	0.1	0.6	0.2	0.2	1.1	0.3
1.3	0.1	-	0.4	0.1	0.3	0.1	0.1	0.5	0.1
1.4	*	-	0.2	*	0.1	*	0.1	0.2	0.1
1.5	*	-	0.1	*	0.1	*	*	0.1	*
1.6	*	-	*	*	*	*	*	*	*
1.7	*	-	*	*	*	*	*	*	*
1.8 & above	*	-	*	*	*	*	0.1	*	*
Average trash	0.43	0.18	0.53	0.29	0.49	0.44	0.37	0.60	0.42

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as measured by a video scanner; 1.2 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark etc. * Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through December 4, 2008

Quality Designation	Leaf	Arizona	California	New Mexico	Texas	United States
01	1	-	8.1	-	-	7.8
	2	-	3.5	-	-	3.4
	3	-	*	-	-	*
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	11.6	-	-	11.2
02	1	-	23.8	-	-	23.6
	2	-	52.4	-	-	53.3
	3	-	8.6	-	-	8.2
	4	-	0.3	-	-	0.3
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	85.0	-	-	85.4
03	1	-	0.3	-	-	0.3
	2	-	1.3	-	-	1.3
	3	-	1.3	-	-	1.3
	4	-	0.3	-	-	0.3
	5	-	*	-	-	*
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	3.2	-	-	3.1
04	1	-	*	-	-	*
	2	-	*	-	-	*
	3	-	0.1	-	-	0.1
	4	-	0.1	-	-	0.1
	5	-	*	-	-	*
	6	-	*	-	-	*
	7	-	-	-	-	-
Total -----		-	0.2	-	-	0.2
05	1	-	-	-	-	-
	2	-	-	-	-	-
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	*	-	-	*
	6	-	-	-	-	*
	7	-	-	-	-	-
Total -----		-	*	-	-	*
06	1	-	-	-	-	-
	2	-	-	-	-	-
	3	-	*	-	-	*
	4	-	*	-	-	*
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	*	-	-	*
07	1	-	-	-	-	-
	2	-	*	-	-	*
	3	-	-	-	-	-
	4	-	-	-	-	-
	5	-	-	-	-	-
	6	-	-	-	-	-
	7	-	-	-	-	-
Total -----		-	*	-	-	*
STAPLE						
40 & shorter		-	-	-	-	-
42		-	-	-	-	*
44		-	2.7	-	-	2.8
46		-	34.2	-	-	35.9
48 & longer		-	63.1	-	-	61.3
Average		-	47.4	-	-	47.3
UNIFORMITY						
72.4 & below		-	-	-	-	-
72.5-73.4		-	-	-	-	-
73.5-74.4		-	-	-	-	-
74.5-75.4		-	-	-	-	-
75.5-76.4		-	-	-	-	-
76.5-77.4		-	-	-	-	-
77.5-78.4		-	-	-	-	-
78.5-79.4		-	-	-	-	-
79.5-80.4		-	-	-	-	*
80.5-81.4		-	*	-	-	*
81.5-82.4		-	0.1	-	-	0.1
82.5-83.4		-	1.2	-	-	1.2
83.5-84.4		-	7.8	-	-	7.5
84.5-85.4		-	35.9	-	-	35.3
85.5-86.4		-	43.3	-	-	44.7
86.5-87.4		-	10.4	-	-	10.1
87.5-88.4		-	1.2	-	-	1.2
88.5-89.4		-	*	-	-	*
89.5 & above		-	-	-	-	-
Average		-	85.6	-	-	85.6
BALES CLASSED		-	244,501	-	-	257,030

* Less than 0.05 percent.

Table 22. -- Quality of American Pima cotton classed for producers by State and United States through December 4, 2008

Quality Designation	Arizona	California	New Mexico	Texas	United States
MIKE					
24 & below	-	-	-	-	-
25 - 26	-	*	-	-	*
27 - 29	-	0.3	-	-	0.3
30 - 32	-	1.0	-	-	0.9
33 - 34	-	1.1	-	-	1.1
35 - 36	-	3.6	-	-	3.5
37 - 42	-	74.4	-	-	74.6
43 - 49	-	19.7	-	-	19.7
50 - 52	-	*	-	-	*
53 & above	-	-	-	-	-
Average	-	40	-	-	40
ALL MIKE					
24 & below	-	-	-	-	-
25	-	-	-	-	-
26	-	*	-	-	*
27	-	*	-	-	*
28	-	0.1	-	-	0.1
29	-	0.2	-	-	0.2
30	-	0.3	-	-	0.3
31	-	0.3	-	-	0.3
32	-	0.4	-	-	0.3
33	-	0.4	-	-	0.4
34	-	0.7	-	-	0.7
35	-	1.1	-	-	1.1
36	-	2.4	-	-	2.4
37	-	4.7	-	-	4.7
38	-	9.0	-	-	9.1
39	-	13.3	-	-	13.3
40	-	17.4	-	-	17.4
41	-	16.6	-	-	16.6
42	-	13.4	-	-	13.4
43	-	9.8	-	-	9.8
44	-	5.2	-	-	5.3
45	-	2.9	-	-	2.9
46	-	1.1	-	-	1.1
47	-	0.4	-	-	0.4
48	-	0.2	-	-	0.2
49	-	*	-	-	*
50	-	*	-	-	*
51	-	-	-	-	-
52	-	-	-	-	-
53	-	-	-	-	-
54	-	-	-	-	-
55	-	-	-	-	-
56	-	-	-	-	-
57	-	-	-	-	-
58	-	-	-	-	-
59	-	-	-	-	-
60 & above	-	-	-	-	-
Average	-	40	-	-	40
Strength					
17 & below	-	-	-	-	-
18	-	-	-	-	-
19	-	-	-	-	-
20	-	-	-	-	-
21	-	-	-	-	-
22	-	-	-	-	-
23	-	-	-	-	-
24	-	-	-	-	-
25	-	-	-	-	-
26	-	-	-	-	-
27	-	-	-	-	-
28	-	-	-	-	-
29	-	-	-	-	-
30	-	-	-	-	-
31	-	-	-	-	-
32	-	-	-	-	-
33	-	-	-	-	*
34	-	*	-	-	*
35	-	0.1	-	-	0.1
36	-	0.4	-	-	0.4
37	-	1.0	-	-	1.1
38	-	3.0	-	-	3.3
39	-	7.7	-	-	8.6
40	-	14.4	-	-	15.1
41	-	19.3	-	-	19.3
42	-	19.1	-	-	18.6
43	-	15.8	-	-	15.2
44	-	10.5	-	-	10.1
45 & above	-	8.6	-	-	8.2
Average	-	41.7	-	-	41.6
EXTRANEEOUS MATTER					
Bark	-	*	-	-	*
Grass	-	0.1	-	-	0.1
Spindle Twist	-	*	-	-	*
Preparation	-	0.5	-	-	0.5

* Less than 0.05 percent.



1022996962

Year	Area	Production	Consumption	Export	Import
1950	100	100	100	0	0
1951	100	100	100	0	0
1952	100	100	100	0	0
1953	100	100	100	0	0
1954	100	100	100	0	0
1955	100	100	100	0	0
1956	100	100	100	0	0
1957	100	100	100	0	0
1958	100	100	100	0	0
1959	100	100	100	0	0
1960	100	100	100	0	0
1961	100	100	100	0	0
1962	100	100	100	0	0
1963	100	100	100	0	0
1964	100	100	100	0	0
1965	100	100	100	0	0
1966	100	100	100	0	0
1967	100	100	100	0	0
1968	100	100	100	0	0
1969	100	100	100	0	0
1970	100	100	100	0	0
1971	100	100	100	0	0
1972	100	100	100	0	0
1973	100	100	100	0	0
1974	100	100	100	0	0
1975	100	100	100	0	0
1976	100	100	100	0	0
1977	100	100	100	0	0
1978	100	100	100	0	0
1979	100	100	100	0	0
1980	100	100	100	0	0
1981	100	100	100	0	0
1982	100	100	100	0	0
1983	100	100	100	0	0
1984	100	100	100	0	0
1985	100	100	100	0	0
1986	100	100	100	0	0
1987	100	100	100	0	0
1988	100	100	100	0	0
1989	100	100	100	0	0
1990	100	100	100	0	0
1991	100	100	100	0	0
1992	100	100	100	0	0
1993	100	100	100	0	0
1994	100	100	100	0	0
1995	100	100	100	0	0
1996	100	100	100	0	0
1997	100	100	100	0	0
1998	100	100	100	0	0
1999	100	100	100	0	0
2000	100	100	100	0	0
2001	100	100	100	0	0
2002	100	100	100	0	0
2003	100	100	100	0	0
2004	100	100	100	0	0
2005	100	100	100	0	0
2006	100	100	100	0	0
2007	100	100	100	0	0
2008	100	100	100	0	0
2009	100	100	100	0	0
2010	100	100	100	0	0
2011	100	100	100	0	0
2012	100	100	100	0	0
2013	100	100	100	0	0
2014	100	100	100	0	0
2015	100	100	100	0	0
2016	100	100	100	0	0
2017	100	100	100	0	0
2018	100	100	100	0	0
2019	100	100	100	0	0
2020	100	100	100	0	0
2021	100	100	100	0	0
2022	100	100	100	0	0